WE.ARE.THE.IMMERHIN

IMMERHIN WUERZBURG

AND.WE.PLAY.ROCKNROLL!

Venue Technical Specification

Load in

Load in address:	Bahnhofplatz 2, 97080 Würzburg
Load in details:	Access via Bismarckstraße. Short-term parking during load in possible.
Load in times:	By arrangement.
Parking:	Please ask.



Map data © OpenStreetMap contributors

Stage

Size:	Depth approx: 3,7m Width approx: 5,9m Height approx: 0,3m Clearance approx: 3,3m
Power:	6x 16A 230V Schuko sockets (Type F, CEE 7/4 plug, CEE 7/7 plug) Several power strips and extension cords available. Please bring your own adapters / converters if you have plugs with different types or voltages!
Cable run from stage:	Approx 20 meters to FOH.

Sound

PA:	2x PSE Tops 2x PSE B82 Subwoofer 2x PSE PC 4000 Power Amps 1x Supervisor SV 600
Monitoring (4 Mixes):	Power Amplifier TSA 4-700 3x Wedges ACHAT Pro 112M 1x EV ELX200-15P
FOH (@ back wall):	1x Midas Venice F24 1x Equalizer DBX Graphic Equalizer 1231 (Mains) 2x Equalizer DBX Graphic Equalizer 231 (4 Monitors) 2x DBX Compressor Gate / 266XS (4 Channels) 1x DBX Compressor Gate / 266XL (2 Channels) 1x BSS DPR 404 4-Channel Compressor 1x Symetrix 564E Quad Gate Expander 1x t.c electronic M-One 1x Yamaha SPX990 Professional Multi-Effects Processor
Multicore:	1x 22 CH Input Core / Stage to FOH

	1x 8 CH Return Core / FOH to AMPS
Mics, Stands, DI:	1x Audix D6 1x Shure Beta 52A 1x Shure Beta 91A 2x Sennheiser e609 4x Shure sm57 5x Shure sm58 2x EV PL 35 5x Sennheiser e604 1x AKG D7S 1x Rode M5 MP 6x Palmer PAN 01 passive DI 2x Palmer PAN 02 active DI 2x Palmer PAN 04 passive DI stereo Stands – short and tall (plenty) 2x Mic claw LP592A-X 2x Z Right Stuff Z-Bar

Lights

Controller (@ FOH):	DC-2448 Scene Setter-48
Front Truss:	1x Botex MPX-405 2x PAR 64 2x PAR 56 5x Stairville Quad Par Profile 5x8W RGBW
Back Truss:	5x Stairville Quad Par Profile 5x8W RGBW 6x LED BAR-6 QCI

Backline

guitar cab	1x Marshall 4x12 1960A Lead
bass cab	1x Ampeg SVT810E